



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/970,134	10/03/2001	Truc D. Nguyen	66329/14561	2126
23380	7590	07/15/2004	EXAMINER	
TUCKER, ELLIS & WEST LLP 1150 HUNTINGTON BUILDING 925 EUCLID AVENUE CLEVELAND, OH 44115-1475			PHAM, CHRYSTINE	
			ART UNIT	PAPER NUMBER
			2122	

DATE MAILED: 07/15/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/970,134

Applicant(s)

NGUYEN ET AL.

Examiner

Chrystine Pham

Art Unit

2122

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 3 October 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-38 is/are rejected.
- 7) ☒ Claim(s) 5 and 11 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 October 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 2/25/2002
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Specification

1. The spacing of the lines of the specification is such as to make reading and entry of amendments difficult. New application papers with lines double spaced on good quality paper are required.
2. Claims 5 and 11 are objected to because of the following informalities: inconsistent terminology (i.e. said **mass** storage unit) on line 1 of claim 5, and typo (i.e. **sadi**) on line 1 of claim 11. Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 16-17, 19, 35-36, and 38 are rejected under 35 U.S.C. 102(e) as being anticipated by Rosen (US 2003/0048473), hereinafter *Rosen*.

As per claim 16, *Rosen* teaches a method of providing device software to a client machine of a network, comprising the steps of:

- o storing the device software on at least one network peripheral device (e.g., see Abstract, Fig.1 *printer driver 114 & memory 112* & associated text, Fig.4 *printer 402, 404* & associated text) disposed in communication (e.g., Fig.4 & associated text, par.

[0029] line 8-10, Fig.2 & associated text, par. [0032] line 9-11) on the network (e.g., Fig.4 *network 406* & associated text);

- o communicating data representative of a presence of the device software (e.g., FIG.4A 74 & 76, FIG.4B 78, col.1 : 18-20 & 47-52, col.3 : 10-13) to the client machine (e.g., Fig.4 *computer 408* & associated text) of an end-user (e.g., par. [0009] line 4-5);
- o establishing data communication between said at least one network peripheral device and the client machine in accordance with a prompt generated by the client machine (e.g., par. [0011] line 1-4); and
- o downloading the device software from said at least one network peripheral device to said client machine in accordance with said prompt (e.g., par. [0038] line 9-11).

As per claim 17, *Rosen* teaches the method of claim 16, wherein the step of communicating occurs in response to said end-user sending a print request to said at least one network peripheral device which is a network printer (e.g., par. [0038] line 1-3).

As per claim 19, *Rosen* teaches the method of claim 16, further comprising the step of uploading the device software to said at least one network peripheral device by an administrative user so that said end-user can download selected ones of components of the device software in the step of downloading (e.g., par. [0038] line 11-14, Fig.5 & associated text, par. [0040] line 1-11).

As per claim 35, *Rosen* teaches an apparatus for providing peripheral software to a client machine of a network, comprising the steps of:

- o at least one network peripheral disposed in communication (e.g., Fig.4 & associated text, par. [0029] line 8-10, Fig.2 & associated text, par. [0032] line 9-11) on the network (e.g., Fig.4 *network 406* & associated text), said at least one network

peripheral having a storage unit for storing the peripheral software device (e.g., see Abstract, Fig.1 *printer driver 114 & memory 112* & associated text, Fig.4 *printer 402, 404* & associated text);

- o wherein data is communicated from said at least one network peripheral to the client machine (e.g., Fig.4 *computer 408* & associated text) of an end-user (e.g., par. [0009] line 4-5) that is representative of a presence of the peripheral software (e.g., FIG.4A 74 & 76, FIG.4B 78, col.1 : 18-20 & 47-52, col.3 : 10-13);
- o wherein data communication is established between said at least one network peripheral and the client machine in accordance with a prompt generated by the client machine (e.g., par. [0011] line 1-4);
- o wherein the peripheral software is downloaded from said at least one network peripheral to said client machine in accordance with said prompt (e.g., par. [0038] line 9-11).

As per claims 36 and 38, they recite limitations which have been addressed in claims 17 & 19 respectively, therefore, are rejected for the same reasons as cited in claims 17 & 19.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-15, 18, 20-34, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Rosen* as applied to claims 16-17, 19, 35-36, and 38 above, in further view of *Slivka et al.* (US 6,256,668), hereinafter *Slivka et al.*

As per claim 1, *Rosen* teaches a method of providing device software from a network, comprising the steps of:

- providing communications (e.g., Fig.4 & associated text, par. [0029] line 8-10, Fig.2 & associated text, par. [0032] line 9-11) via the network (e.g., Fig.4 *network 406* & associated text) between a client machine (e.g., Fig.4 *computer 408* & associated text) disposed on the network and at least one network peripheral device (e.g., see Abstract, Fig.1 *printer driver 114* & *memory 112* & associated text, Fig.4 *printer 402, 404* & associated text), said client machine associated with an end-user (e.g., par. [0009] line 4-5);
- notifying the client machine of the availability of the device software (e.g., FIG.4A 74 & 76, FIG.4B 78, col.1 : 18-20 & 47-52, col.3 : 10-13) in response to a connection request to said at least one network peripheral device (e.g., par. [0011] line 1-4);
- downloading said selected components of the device software from said at least one network peripheral device to the client machine (e.g., par. [0038] line 9-11).

Rosen fails to teach the manual selection of one or more components of the device software for download by the end-user. *Slivka et al.* teach a method of providing device software (e.g., col.1 line 31-33) to client machine (e.g., FIG.2 *user computer 34* & associated text) from a network (e.g., FIG.2 36, *server 46* & associated text) comprising the step of manually selecting (by end-user) for download one or more components of the device software (e.g., col.5 : 55-65, FIG.4B 86 & associated text, col.8 : 43-47 & 57-59). It would have been obvious to one of ordinary skill in the pertinent art, at the time of applicant's invention, to modify the teaching of *Rosen* to allow the manual selection of device software components by end-user, since doing so will ensure that the end-user has the ultimate control over data transmitted to client machine from other machines/devices connected thereto.

As per claims 2, 8, and 15, they recite limitations which have been addressed in claims 17 and 19 above, therefore, are rejected for the same reasons as cited in claim 17 and 19.

As per claim 3, *Rosen* as modified by *Slivka et al.* teaches the method of claim 1, wherein said at least one network peripheral device in the step of providing is a network printer having a data storage unit (e.g., Fig.1 *memory 112* & associated text) associated therewith on which the device software is stored (e.g., Fig.1 *printer driver 114* & associated text).

As per claim 4, *Rosen* as modified by *Slivka et al.* teaches the method of claim 3, wherein said data storage unit is a hard disk drive internal to said network printer of the providing step (e.g., par. [0028] line 7-9).

As per claim 5, *Rosen* as modified by *Slivka et al.* teaches the method of claim 3, wherein said mass storage unit is a non-volatile memory internal to said network printer of the providing step (e.g., par. [0028] line 3-5).

As per claim 6, *Rosen* as modified by *Slivka et al.* teaches the method of claim 1, wherein said selected components of the device software in the step of downloading include a device driver compatible with said at least one network peripheral device (e.g., par. [0004] line 4-9).

As per claim 7, *Rosen* as modified by *Slivka et al.* teaches the method of claim 1, wherein said selected components of the device software in the step of downloading include a device driver and utility software associated with said at least one network peripheral device (e.g., par. [0043] line 1-6).

As per claim 9, although *Rosen* as modified by *Slivka et al.* is silent on the network peripheral device being network facsimile machine in particular, though it would have been obvious to one of ordinary skill in the art, at the time of applicant's invention, to include the facsimile machine as one of peripheral devices since facsimile machines, besides printer

machines, scanners, etc., were well-known network peripheral devices which depended on associated device drivers to be operable.

As per claim 10, *Rosen* as modified by *Slivka et al.* teaches the method of claim 1, wherein said at least one network peripheral device in the step of providing is a network multi-function machine providing a plurality of capabilities (e.g., par. [0003] line 1-8).

As per claim 11, *Rosen* as modified by *Slivka et al.* teaches the method of claim 1, further comprising the step of installing selected components of the device software on said client machine (e.g., FIG.4B 92 & 94 & associated text, col.2 : 53-55) to facilitate accessing functionality of said at least one network peripheral device (e.g., col.1 : 35-43).

As per claim 12, *Rosen* as modified by *Slivka et al.* teaches the method of claim 11, wherein the step of installing occurs automatically after said end-user of said client machine downloads said selected components of the device software (e.g., col.3 : 22-23).

As per claim 13, *Rosen* as modified by *Slivka et al.* teaches the method of claim 11, wherein said end-user of the client machine manually initiates the step of installing after downloading said selected components of the device software (e.g., col.10 : 1-3 & 8-17).

As per claim 14, *Rosen* as modified by *Slivka et al.* teaches the method of claim 11, wherein said end-user installs said selected components of the device software on said client machine at a time substantially later than the step of downloading (e.g., col.10 : 1-3 & 8-17).

As per claim 15, *Rosen* as modified by *Slivka et al.* teaches the method of claim 1, further comprising the step of uploading the device software to said at least one network peripheral

device by an administrative user for subsequent downloading by said end-user (e.g., FIG.7 & associated text, col.13 : 11-15).

As per claim 18, it recites limitations which have been addressed in claim 1 above, therefore, is rejected for the same reasons as cited in claim 1.

As per claim 20, *Rosen* teaches an apparatus for providing peripheral software from a network, comprising:

- o a client machine (e.g., Fig.4 *computer 408* & associated text) of an end-user (e.g., par. [0009] line 4-5) disposed on the network (e.g., Fig.4 *network 406* & associated text), and operable to obtain a service provided therein; and
- o at least one network peripheral disposed on the network for providing said service (e.g., see Abstract, Fig.1 *printer driver 114* & *memory 112* & associated text, Fig.4 *printer 402, 404* & associated text);
- o wherein said at least one network peripheral notifies said client machine of the availability of the peripheral software (e.g., FIG.4A 74 & 76, FIG.4B 78, col.1 : 18-20 & 47-52, col.3 : 10-13) in response to said client machine requesting said service of said at least one network peripheral (e.g., par. [0011] line 1-4);

Rosen fails to teach the apparatus wherein one or more components of the device software are manually selected for download by the end-user. *Slivka et al.* teach a apparatus for providing device software (e.g., col.1 line 31-33) to client machine (e.g., FIG.2 *user computer 34* & associated text) from a network (e.g., FIG.2 36, *server 46* & associated text) comprising the end-user manually selects for download one or more components of the peripheral software (e.g., FIG.4B 86 & associated text, col.5 : 60-64, col.8 : 56-59). It would have been obvious to one of ordinary skill in the pertinent art, at the time of applicant's invention, to modify the teaching of *Rosen* to allow the manual selection of device software components by end-user, since doing so will ensure

that the end-user has the ultimate control over data transmitted to client machine from other machines/devices connected thereto.

As per claims 21-26, and 28-34, they recite limitations which have been addressed in claims 2-7, and 10-15, therefore, are rejected for the same reasons as cited in claims 2-7, and 10-15.


As per claim 27, *Rosen* as modified by *Slivka et al.* teaches the apparatus of claim 20, wherein said end-user of said client machine accesses said at least one network peripheral to download the peripheral software via a user interface (e.g., FIG.4B *user update application 78 & 82* & associated text).

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - o In an interactive network board, a method and apparatus for remotely downloading and executing files in a memory, Kalwitz et al. (US 5815722).
 - o Automatically selecting and downloading device drivers from a server system to a client system that includes one or more devices, Perlman et al. (US 6023585).
 - o Integrated device driver wherein the peripheral downloads the device driver via an I/O device after it is determined that the I/O device has the resources to support the peripheral device, Pleso (US 6009480).
8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chrystine Pham whose telephone number is 703.605.1219. The examiner can normally be reached on Mon-Fri, 8:30am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q Dam can be reached on 703.305.4552. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



TUAN DAM
SUPERVISORY PATENT EXAMINER

Chrystine Pham
Examiner
GAU 2122